



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

**FOR POSTHARVEST TREATMENT OF MELONS, INCLUDING WATER MELON
TO CONTROL PESTS OF QUARRANTINE CONCERN**

PERMIT NUMBER – PER87065

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 18 FEBRUARY 2019 TO 28 FEBRUARY 2024.

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons who are trained or experienced in the preparation and use of agricultural chemical products in postharvest chemical application techniques.

CONDITIONS OF USE

Products to be used:

NUFARM DIMETHOATE SYSTEMIC INSECTICIDE (32962)

PLUS OTHER REGISTERED AND SUSPENDED PRODUCTS¹

Containing: 400 g/L DIMETHOATE as the only active constituent.

¹ Dimethoate products bearing previously approved versions of the label may be used up to 6 March 2019. After this period, all products supplied and used should bear a currently approved label. Current product labels can be found on the APVMA Public Chemical Registration Information System (PUBCRIS).

Directions for Use: Post-harvest treatment of specified commodities

Commodities	Insect Pests	Rate
MELONS INCLUDING WATERMELONS	Cucumber fly (<i>Bactrocera cucumis</i>) Lesser Queensland Fruit Fly (<i>Bactrocera neohumeralis</i>) Queensland Fruit Fly (<i>Bactrocera tryoni</i>) Mediterranean fly (<i>Ceratitis capitata</i>) Banana fly (<i>Bactrocera musae</i>) Mango Fly (<i>Bactrocera frauenfeldi</i>)	Prepare dip/flood spray solution by mixing 100 mL of product per 100 L water. Achieves 400 mg/L (400 ppm) solution.

Critical Use Comments:

Dipping:

Immerse fruit in dip for 1 minute. Ensure that fruit remains wet for 1 minute.

Floodspraying:

Apply thoroughly as a 1 minute packing-line spray.

Topping up: Topping up may be undertaken to maintain the mixture at the required volume and concentration. Top up with a separately prepared 400 mg/L (400 ppm) emulsion.

Reinforcement: After each week, add 3 mL of product/100 L of dip emulsion.

Withholding Period:

NOT REQUIRED WHEN USED AS DIRECTED

Jurisdiction:

ALL STATES except VIC.

NOTE: Victoria is not included in this permit, as their state Control-of-Use legislation does not require a permit to legalise this off-label use.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Export of Produce

To allow treated produce to be supplied or otherwise made available for human consumption Temporary Maximum Residue Limits (TMRLs) have been established for Dimethoate covering the commodities Melons, except watermelon, and Watermelon at T5 mg/kg. These TMRLs apply only to produce marketed and consumed in Australia. If dimethoate treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority