



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

FOR CONTROL OF PHYTOPHTHORA FRUIT ROT ON PAPAYA

PERMIT NUMBER - PER14417

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 28 FEBRUARY 2014 to 31 DECEMBER 2024

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LIMITED
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

DUPONT KOCIDE BLUE XTRA FUNGICIDE [APVMA No. 58989]

Plus other REGISTERED PRODUCTS

Containing: 350 g/kg COPPER (Cu) present as CUPRIC HYDROXIDE as their only active constituent.

CUNG FU 350 SC FUNGICIDE [APVMA No. 59873]

Containing: 350 g/L COPPER (Cu) present as CUPRIC HYDROXIDE as the only active constituent.

NUFARM CHAMP DRY PRILL WG FUNGICIDE [APVMA No. 53935]

Containing: 375 g/kg COPPER (Cu) present as CUPRIC HYDROXIDE as the only active constituent.

VITRA 400 WG FUNGICIDE [APVMA No. 65926]

Plus other REGISTERED PRODUCTS

Containing: 400 g/kg COPPER (Cu) present as CUPRIC HYDROXIDE as their only active constituent.

BLUE SHIELD DF COPPER FUNGICIDE [APVMA No. 46869]

Plus other REGISTERED PRODUCTS

Containing: 500 g/kg COPPER (Cu) present as CUPRIC HYDROXIDE as their only active constituent.

Directions for Use:

Crop	Disease	Product & Rate
PAPAYA	Papaya Fruit Rot <i>(Phytophthora palmivora)</i>	<u>350 g/kg product:</u> 1.1 kg / 100 L <u>350 g/L product:</u> 1.1 L / 100 L
		<u>375 g/kg product:</u> 1 kg / 100 L
		<u>400 g/kg product:</u> 925 g / 100 L
		<u>500 g/kg Product:</u> 750 g / 100 L

Critical Use Comments:

- Apply by air-blast sprayer at the first sign of infection, or as a preventative treatment using a spray volume of 200 – 250 L/ha.
- Repeat as required while conditions favour disease development with a minimum 10 – 14 days between consecutive sprays.
- Add recommended wetting agent as per label rates.
- Observe all Restraints listed under *Directions for Use* on the product label.

Withholding Period:

DO NOT harvest for 1 DAY after application.

Jurisdiction:

ALL STATES except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that state.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this PERMIT.

To Avoid Crop Damage:

The sensitivity of some species and varieties of the crops to be treated under this permit has not been fully evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note:

19/12/2018. Expiry date extended to 31/12/2023. Permit holder changed to Horticulture Innovation Australia Limited. Issued as version 2.