



PERMIT TO ALLOW USE OF A REGISTERED AGVET CHEMICAL PRODUCT

FOR THE CONTROL OF ROOT ROT IN AVOCADOS

PERMIT NUMBER - PER14813

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 18 SEPTEMBER 2014 TO 30 SEPTEMBER 2019.

Permit Holder:

LIQUID FERTILISER PTY LTD
2 Hovey Road
YATALA QLD 4207

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

All registered products containing either:

400 g/L, 600 g/L, 620 g/L OR 625 g/L PHOSPHOROUS ACID as their only active constituent.

Directions for Use:

Crop	Disease	Product & Rate
AVOCADO	Phytophthora root rot <i>(Phytophthora cinnamomi)</i>	<p><u>400 g/L products</u> Apply 1250 mL/100L</p> <p><u>600 g/L products</u> Apply 825 mL/100L</p> <p><u>620 g/L & 625 g/L products</u> Apply 800 mL/100L</p> <p><u>Check the pH of the tank mix and buffer to a pH of 7.2</u></p>
<p>Critical Use Comments:</p> <ul style="list-style-type: none"> • DO NOT apply more than 5 applications per year with a minimum re-treatment interval of 3 weeks between applications. • Apply as a foliar spray by knapsack or air-blast sprayer. • Only spray trees with a good leaf canopy. • DO NOT add wetters or stickers or other pesticides to the solution. • Commence spraying when autumn leaf and root flush is complete. • Ensure applications are completed 6 weeks prior to flowering. • Apply spray to the point of run-off, ensuring all leaves and branches are covered. • Apply spray volume of 2,000-3,000 L/ha for mature trees (depending on tree size). • Allow 10 days to elapse after a phosphorous acid spray before applying copper fungicides. • DO NOT spray with phosphorous acid if residues of copper hydroxide are present; otherwise severe leaf defoliation may result. 		
<p>Withholding Period: Not required when used as directed.</p>		

Jurisdiction:

ALL States

Additional Conditions:

THIS PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

Export of treated produce

To allow produce from treated plants to be supplied or otherwise made available for human consumption, the APVMA has established a temporary Maximum Residue Limit (MRL) at 500 mg/kg for phosphorous acid in avocados. This temporary MRL applies only to produce marketed and consumed in Australia. Therefore if treated produce is to be exported due account should be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by

Australian Pesticides and Veterinary Medicines Authority

Note: Permit amended to extend expiry date until 30 September 2019. Permit version 2 issued 28 August 2017.