



**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT**

**FOR CONTROL OF FUNGAL ROT DISEASES IN CHESTNUTS**

**PERMIT NUMBER – PER15259**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 27 FEBRUARY 2015 to 30 JUNE 2020**

**Permit Holder:**

CHESTNUTS AUSTRALIA INCORPORATED  
41 O'Donnell Avenue  
MYRTLEFORD VIC 3737

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

**Products to be used:**

COUNTRY PHOSPOT 400 SYSTEMIC FUNGICIDE  
PLUS OTHER REGISTERED PRODUCTS

Containing: 400g/L PHOSPHOROUS ACID as their only active constituent.

AGRI-FOS 600 SYSTEMIC FUNGICIDE  
PLUS OTHER REGISTERED PRODUCTS

Containing: 600g/L PHOSPHOROUS ACID as their only active constituent.

SPRAYPHOS 620 SYSTEMIC FUNGICIDE  
PLUS OTHER REGISTERED PRODUCTS

Containing: 620 g/L PHOSPHOROUS ACID as their only active constituent.

AGRI-FOS 625 SYSTEMIC FUNGICIDE  
PLUS OTHER REGISTERED PRODUCTS

Containing: 625 g/L PHOSPHOROUS ACID as their only active constituent.

Crop Type	Plant Disease	Product & Application Rate
CHESTNUT TREES	Suppression of Phytophthora Trunk and Root Canker <i>(Phytophthora cinnamomi)</i>	<u>400 g/L product:</u> <b>Foliar:</b> Apply at a maximum rate of 500 mL product per 100 L water.  <b>Stem Injection:</b> Dilute 1 to 2 with water; then inject 20 mL per metre of canopy.
		<u>600 g/L product:</u> <b>Foliar:</b> Apply at a maximum rate of 333 mL product per 100 L water.  <b>Stem Injection:</b> Dilute 1 to 3 with water; then inject 20 mL per metre of canopy.
		<u>620 &amp; 625 g/L product:</u> <b>Foliar:</b> Apply at a maximum rate of 320 mL product per 100 L water.  <b>Stem Injection:</b> Dilute 1 to 3 with water; then inject 20 mL per metre of canopy.
	Suppression of Phomopsis Nut Rot <i>(Phomopsis castanea)</i>	<u>400 g/L product:</u> <b>Foliar:</b> Apply at a maximum rate of 500 mL product per 100 L water.
		<u>600 g/L product:</u> <b>Foliar:</b> Apply at a maximum rate of 333 mL product per 100 L water.
		<u>620 &amp; 625 g/L product:</u> <b>Foliar:</b> Apply at a maximum rate of 320 mL product per 100 L water.

**Critical Use Comments:****Foliar application:**

- Apply foliar spray to the point-of-runoff, ensuring all leaves and branches are covered.
- Apply a maximum of two (2) foliar sprays per production (growing) season.

**Trunk injection:**

- Apply trunk injection up to three (3) times per year, two (2) during the production (growing) season and one (1) post-harvest.

**General:**

- DO NOT apply to trees under severe water stress or during very hot weather.
- In any one season only one application method may be undertaken, i.e. either the foliar spray regime or the trunk injection, not both.

**Withholding Period:**

DO NOT harvest for at least 28 DAYS after last application.

**Jurisdiction:**

NSW, SA, TAS and WA.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation means a permit is not required to legalise this off-label use in that state.

**Additional Conditions:**

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the information in DETAILS and CONDITIONS of the permit.

Issued by the Australian Pesticides and Veterinary Medicines Authority