



**PERMIT TO ALLOW EMERGENCY USE OF AN AGVET CHEMICAL PRODUCT
FOR THE CONTROL OF GREEN PEACH APHIDS IN BLACKBERRIES**

PERMIT NUMBER - 87441

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 4 DECEMBER 2018 TO 31 DECEMBER 2021.

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

TRANSFORM INSECTICIDE (64101)

Containing: 240 g/L SULFOXAFLOL as their only active constituent.

Directions for Use:

Crop	Insect Pest	Application Rate
BLACKBERRIES Field and protected grown crops	Green peach aphid (<i>Myzus persicae</i>)	300 mL product / ha

Critical Use Comments:

- Apply as a foliar cover spray following first signs of pest infestation.
- Apply using ground-based airblast or boom sprayers only.
- Apply in sufficient water to provide thorough and uniform coverage of all plant foliage.
- DO NOT apply more than two (2) applications per crop with a minimum re-treatment interval of 14 days.
- DO NOT apply consecutive applications of Group 4C insecticides.
- DO NOT apply this product while bees are foraging in the crop to be treated. Refer *Additional Conditions* and the *Protection of Honey Bees and other Insect Pollinators* statement on the product label.

Withholding Period:

Harvest: DO NOT harvest for 1 DAY after application.

Jurisdiction:

TAS only.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Safety Directions – use within protected cropping situations

There is a risk of increased exposure to fine mist spray during application of the diluent within protected cropping situations (e.g. greenhouses, glasshouses and plastic tunnels). It is recommended that the following additional PPE be observed in addition to label directions when applying a foliar spray treatment within enclosed situations:

When using the dilute product, wear cotton overalls buttoned to the neck and wrist, chemical resistant gloves, protective face shield or goggles and disposable (mist) mask. Protective clothing (i.e. cotton overalls and chemical resistant gloves) should also be worn when re-entering the treated area prior to the spray drying. Wash hands after use. After each day's use, wash contaminated clothing, gloves and face shield/goggles.

Dangerous to Bees

DO NOT apply this product while bees are foraging in the crop to be treated. Sulfoxaflor is highly toxic to bees and residue deposits will kill foraging bees directly exposed through contact during spraying and while spray droplets are still wet.

To Avoid Crop Damage

The sensitivity of plants to be treated under this permit has not been evaluated. A small area of crop should therefore be sprayed in the first instance, and plant health closely monitored over the following days/weeks. Discontinue applications when any adverse symptoms post-treatment are observed.

Export of Produce

To allow treated produce to be supplied or otherwise made available for human consumption a temporary Maximum Residue Limit (TMRL) has been established for Sulfoxaflor covering blackberries.

<u>Crop Type</u>	<u>mg/kg</u>
Blackberries	T0.7

This TMRL applies only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should therefore be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority