

Final Report

Citrus health and nutrition literature review

Project leader:

Teri Lichtenstein

Delivery partner:

The Trustee for the Gold Bunny Trust

Project code:

CT20004

Project:

Citrus health and nutrition literature review (CT20004)

Disclaimer:

Horticulture Innovation Australia Limited (Hort Innovation) makes no representations and expressly disclaims all warranties (to the extent permitted by law) about the accuracy, completeness, or currency of information in this Final Report.

Users of this Final Report should take independent action to confirm any information in this Final Report before relying on that information in any way.

Reliance on any information provided by Hort Innovation is entirely at your own risk. Hort Innovation is not responsible for, and will not be liable for, any loss, damage, claim, expense, cost (including legal costs) or other liability arising in any way (including from Hort Innovation or any other person's negligence or otherwise) from your use or non-use of the Final Report or from reliance on information contained in the Final Report or that Hort Innovation provides to you by any other means.

Funding statement:

This project has been funded by Hort Innovation, using the citrus research and development levy and contributions from the Australian Government. Hort Innovation is the grower-owned, not-for-profit research and development corporation for Australian horticulture.

Publishing details:

ISBN 978-0-7341-4834-6

Published and distributed by: Hort Innovation

Level 7

141 Walker Street

North Sydney NSW 2060

Telephone: (02) 8295 2300

www.horticulture.com.au

© Copyright 2022 Horticulture Innovation Australia

Introduction

The Citrus Health and Nutrition Literature Review project developed assets that can be utilised to communicate the variety of health benefits associated with citrus fruit consumption, with the expectation that heightened awareness of benefits will boost purchase and consumption of Australian citrus fruits. In addition, the reports identified new research and investment opportunities for the Citrus Industry to expand reach and usage.

This project fulfilled the following objectives:

1. built on the previous Citrus Industry Communications Program and research and messages developed as part of the Good Mood Food campaign, that can be used to better inform industry and consumers about the nutritional attributes and health benefits of Australian citrus fruit.
2. supported demand activities to drive consumption, by communicating inspiring and compelling nutrition and health key messages about Australian citrus.
3. helped Hort Innovation and the Australian citrus industry be better informed and confident in talking about the nutrition and health benefits of Australian citrus fruit, and to correct misinformation.

Methodology

The following methodology was undertaken to achieve project deliverables and meet expectations:

1. *Citrus, nutrition and health- a review of the science* - Review citrus nutrition science and Identify research gaps and the impact of post- harvest storage on nutrient composition of citrus compared to pre- storage nutritional values.
2. *Sensational citrus – the nutrition and health benefits of Australian citrus* - Inform and inspire citrus consumption through the collation of evidence-based health information in a consumer-friendly format
3. *Website enhancement recommendations* - Improve website content and usability
4. *Health Influencer Strategy* – top line strategic recommendations to disseminate findings to health professionals

Results and Discussion

The key deliverables for the project are outlined in the table below. This includes relevant stakeholders for dissemination, which is how the industry will leverage the project outputs.

Table 1. Results and Discussion

Document working title	Audience	Purpose	Dissemination	Future opportunities
<i>1.Citrus, nutrition and health- a review of the science</i>	Industry	Review citrus nutrition science Identify research gaps and the impact of post-harvest storage on nutrient composition of citrus compared to pre- storage nutritional values.	Hort Innovation channels to Citrus industry Internal stakeholders Health professionals	Research investment for the Australian citrus industry Opportunities to consider ways to use waste by products for innovation
<i>2.Sensational citrus – the nutrition and health benefits of Australian citrus</i>	Consumer via health professionals, industry and Hort Innovation	Inform and inspire citrus consumption through the collation of evidence-based health information in a consumer-friendly format	CA website Social media Individual farming businesses Hort Innovation including future Marketing campaigns	Disseminate this report to health professionals as part of an extension health professional communication program
<i>3.Website enhancement recommendations</i>	Industry	Improve website content and usability	Hort Innovation channels to Citrus industry CA website	Improve website content and user experience

4. Health Influencer Strategy	Health influencers	Communicate research findings	Webinars, conferences, edms	Increase citrus uptake via health professional recommendations
5. Key messages for the citrus industry and for orange juice	Media Health professionals Consumers	To be used for future communication programs	Media releases, website content	Defend the placement of orange juice as a core food in the Australian Dietary Guidelines Promote the nutritional benefits of citrus fruit

Outputs

Table 2. Output summary

Output	Listed in M&E Plan: • Yes • No	Description	Evidence and data
<i>Citrus, nutrition and health - a review of the science</i>	Yes	Detailed report outlining all scientific evidence to support health benefits of citrus fruit	Report submitted. Research papers collated on file.
<i>Sensational citrus – the nutrition and health benefits of Australian citrus (consumer report)</i>	Yes	An easy-to-read consumer report highlighting key findings of literature review	Report submitted and images provided to Hort innovation
<i>Website enhancement recommendations</i>	Yes	Website recommendations to communicate project deliverables including wireframes for proposed website design	Report submitted
<i>Nutrition and health claims guidance recommendations</i>	Yes	Approved nutrition and health claims for use by the citrus industry for future marketing campaigns	Report submitted
<i>Key Messages report</i>	Yes	Key messages for all citrus produce for future media campaigns	Report submitted
<i>Orange Juice FAQ report</i>	Yes	To assist with future advocacy work for orange juice (e.g. HSR submissions) and address myths	Report submitted
<i>Health Influencer Strategy report</i>	Yes	High level strategic direction for future projects to communicate citrus benefits to nutrition stakeholders	Report submitted

Outcomes

Table 3. Outcome summary

Outcome as listed in M&E Plan	Progress to achieving outcome	Evidence and data	Progress: <ul style="list-style-type: none"> • On track • Off track
<i>Citrus, nutrition and health -a review of the science</i>	Completed	N/A	Completed
<i>Sensational citrus – the nutrition and health benefits of Australian citrus (consumer report)</i>	Completed	N/A	Completed
<i>Website enhancement recommendations</i>	Completed	N/A	Completed
<i>Nutrition and health claims guidance recommendations</i>	Completed	N/A	Completed
<i>Key Messages report</i>	Completed	N/A	Completed
<i>Orange Juice FAQ report</i>	Completed	N/A	Completed
<i>Health Influencer Strategy report</i>	Completed	N/A	Completed

Monitoring and evaluation

Table 4. Monitoring and Evaluation

Key Evaluation Question	Project performance	Continuous improvement opportunities
To what extent has the project achieved its expected outcomes?	New resources were developed, that are now available for industry dissemination	Develop new website Create a project to develop a health professional communications plan Investigate research opportunities Investigate opportunities to utilize citrus by-products

Recommendations

1. Future research opportunities

The scientific literature report uncovered the many nutrition and health benefits of citrus fruit. Whilst certain attributes and associated benefits are well established (for example Vitamin C and the link to numerous health benefits), other areas of nutrition science are emerging, yet they present an exciting opportunity for the future role of citrus fruit and its components. The main areas for future research consideration and investment have been summarised in the report and should be investigated further by The Australian Citrus Industry.

2. By-product considerations for citrus fruit

The efficient use of citrus fruit wastes and by-products, which essentially transforms waste materials into value-added products, may be an effective bioeconomy strategy for the Australian citrus industry. The research report outlines existing and future exploitation of citrus components and their waste products as value-add products within the food and other industries. These approaches can be used to design new and innovative by-product supply chains, enhancing the overall value of the citrus industry in Australia.

3. Health professional communication plan

The high level health professional strategy report outlines opportunities to communicate the citrus research findings with health professionals. It is recommended that the Australian citrus industry invests in a project to develop a communications plan for healthcare professionals.

4. Website enhancements

The website wireframe report was developed to show how the project outputs could be effectively communicated via a sub domain, it is recommended that these website enhancements are actioned.

Refereed scientific publications

Journal article

1. Panche AN, Diwan AD, Chandra SR. Flavonoids: an overview. *J Nutr Sci.* 2016; Dec 29;5:e47. <https://pubmed.ncbi.nlm.nih.gov/28620474/>
2. Peterson, J&D et al. Flavanones in orange, tangerines (mandarins), tangors, and tangelos: a compilation and review of the data from the analytical literature. *Journal of Food Composition and Analysis.* 19. 10.1016/j.jfca.2005.12.006. https://www.researchgate.net/publication/222434545_Flavanones_in_orange_tangerines_mandarins_tangors_and_tangelos_a_compilation_and_review_of_the_data_from_the_analytical_literature/citations
3. Baron J.H. Sailors' scurvy before and after James Lind--a reassessment. *Nutr Rev.* 2009; Jun;67(6):315-32. 19519673 <https://pubmed.ncbi.nlm.nih.gov/19519673/>
4. Patil BS et al. Potential Health Benefits of Citrus, American Chemical Society Symposium Series, no. 936. American Chemical Society, Washington, DC (2006). https://www.researchgate.net/publication/281397802_Potential_Health_Benefits_of_Citrus_An_Overview
5. Silalahi J. Anticancer and health protective properties of citrus fruit components. *Asia Pac J Clin Nutr.* 2002;11(1):79-84. <https://pubmed.ncbi.nlm.nih.gov/11890643/>
6. Sparks M.W. and Ismail M.A. Use of health and nutritional information in marketing Florida citrus products, in *Proc Intl Soc Citricult IX Congr*, International Society of Citriculture, Orlando, Florida, pp. 1068–1069 (2000).
7. Produce for Better Health Foundation (PBHF), *STATE of the PLATE, Study on America's Consumption of Fruits & Vegetables.* PBHF (2015). Available: http://www.pbhfoundation.org/pdfs/about/res/pbh_res/State_of_the_Plate_2015_WEB_Bookmarked.pdf
8. Waleed Fouad Abobatta. Nutritional Benefits of Citrus Fruits. *Am J Biomed Sci & res.* 2019-3(4). 3. 303-306. 10.34297/AJBSR.2019.03.000681. https://www.researchgate.net/publication/333896181_Nutritional_Benefits_of_Citrus_Fruits
9. Li S., et al. Hydroxylated polymethoxyflavones and methylated flavonoids in sweet orange (*Citrus sinensis*) peel. *J Agric Food Chem.* 2006 Jun 14;54(12):4176-85. <https://pubmed.ncbi.nlm.nih.gov/16756344/>

10. Robbins R.C. Action of flavonoids on blood cells: trimodal action of flavonoids elucidates their inconsistent physiologic effects. *Int J Vitam Nutr Res.* 1974;44(2):203-16. <https://pubmed.ncbi.nlm.nih.gov/4211776/>
11. Shen W., et al. Inhibitory effects of Citrus flavonoids on starch digestion and antihyperglycemic effects in HepG2 cells. *J Agric Food Chem.* 2012 Sep 26;60(38):9609-19. <https://pubmed.ncbi.nlm.nih.gov/22958058/>
12. Galati E.M., et al. Biological effects of hesperidin, a citrus flavonoid. (Note I): antiinflammatory and analgesic activity. *Farmaco.* 1994 Nov;40(11):709-12. <https://pubmed.ncbi.nlm.nih.gov/7832973/>
13. Calomme M., et al. Inhibition of bacterial mutagenesis by Citrus flavonoids. *Planta Med.* 1996; Jun;62(3):222-6. <https://pubmed.ncbi.nlm.nih.gov/8693033/>
14. Matsuda H., et al. [Pharmacological study on citrus fruits. II. Anti-allergic effect of fruit of Citrus unshiu MARKOVICH (2). On flavonoid components]. *Yakugaku Zasshi.* 1991; Mar;111(3):193-8. Japanese. <https://pubmed.ncbi.nlm.nih.gov/1712388/>
15. Peterson, J.D., et al. Flavanones in orange, tangerines (mandarins), tangors, and tangelos: a compilation and review of the data from the analytical literature. *Journal of Food Composition and Analysis.* 19. 10.1016/j.jfca.2005.12.006. <https://www.sciencedirect.com/science/article/abs/pii/S0889157505001432>
16. Iglesias-Carres, L., et al. Optimization of a polyphenol extraction method for sweet orange pulp (*Citrus sinensis* L.) to identify phenolic compounds consumed from sweet oranges. *PLoS One* 2019; 14:e0211267. <https://pubmed.ncbi.nlm.nih.gov/30699169/>
17. De Rycker, J., et al. Nutritional composition of commercially-produced 100% orange juice reveals large variability in vascular health bioactive, hesperidin. *Proc. Nutr. Soc.* 2020; 79:E320.
18. Li BB, Smith B, Hossain MM. 2006. Extraction of phenolics from citrus peels. Separation and Purification Technology 48(2):182–188 DOI 10.1016/j.seppur.2005.07.005. https://www.academia.edu/1098116/Extraction_of_phenolics_from_citrus_peels_I_Solvent_extraction_method
19. Liew S.S., et al. Phytochemical composition and in vitro antioxidant activities of *Citrus sinensis* peel extracts. *PeerJ.* 2018;6:e5331. <https://pubmed.ncbi.nlm.nih.gov/30083463/>
20. Li S., et al. Hydroxylated polymethoxyflavones and methylated flavonoids in sweet orange (*Citrus sinensis*) peel. *J. Agric and Food Chemistry* 2006; 54(12):4176–4185 <https://pubmed.ncbi.nlm.nih.gov/16756344/>
21. Ghasemi K., et al. Antioxidant activity, phenol and flavonoid contents of 13 citrus species peels and tissues. *Pakistan Journal of Pharmaceutical Sciences* 2009; 22(3):277–281. <https://pubmed.ncbi.nlm.nih.gov/16756344/>
22. The cook's Companion. Stephanie Alexander. 2nd Ed, 2004
23. Farag, M. et al. "Sweet and bitter oranges: An updated comparative review of their bioactives, nutrition, food quality, therapeutic merits and biowaste valorization practices." *Food chemistry*331 (2020): 127306 . <https://pubag.nal.usda.gov/catalog/6997391/citation>
24. Jorge, N., et al. Antioxidant activity of oils extracted from orange (*Citrus sinensis*) seeds. *International News on Fats, Oils and Related Materials, 2017; 28(6), 23–26.* <https://www.scielo.br/j/aabc/a/KrNkKfMndrn5m6vJ8zq97tz/?lang=en>
25. Dallas, C., et al.. Clinical study to assess the efficacy and safety of a citrus polyphenolic extract of red orange, grapefruit, and orange (sinetrol-xpur) on weight management and metabolic parameters in healthy overweight individuals. *Phytotherapy Research, 2014; 28(2), 212–218.* <https://pubmed.ncbi.nlm.nih.gov/23554029/>
26. National Health and Medical Research Council. *Australian dietary guidelines.* Canberra: NHMRC; 2013 Available from: https://www.nhmrc.gov.au/_files_nhmrc/file/publications/n55_australian_dietary_guidelines1.pdf
27. Australia New Zealand Food Standards Code – Standard 2.6.1 – Fruit juice and vegetable juice. <https://www.legislation.gov.au/Details/F2015L00426>
28. Maillot M., et al. Consumption of 100% Orange Juice in Relation to Flavonoid Intakes and Diet Quality Among US Children and Adults: Analyses of NHANES 2013-16 Data. *Front Nutr.* 2020; May 13;7:63. doi: 10.3389/fnut.2020.00063. PMID: 32478089; PMCID: PMC7237568. <https://pubmed.ncbi.nlm.nih.gov/32478089/>
29. Aschoff, J. K., et al. Urinary excretion of Citrus flavanones and their major catabolites after consumption of fresh oranges and pasteurized orange juice: a randomized cross-over study. *Mol. Nutr. Food Res.* 2016; 60, 2602–2610. <https://pubmed.ncbi.nlm.nih.gov/27488098/>
30. Lima, A. C. D., et al. Effect of daily consumption of orange juice on the levels of blood glucose, lipids, and gut microbiota metabolites: controlled clinical trials. *J. Med. Food* 2019; 22, 202–210. <https://pubmed.ncbi.nlm.nih.gov/30638420/>
31. Byrd-Bredbenner C., et al., Satisfying America's Fruit Gap: Summary of an Expert Roundtable on the Role of 100% Fruit Juice, *J. Food Sci.*, 2017; 82, 1523–1534. <https://pubmed.ncbi.nlm.nih.gov/28585690/>

32. Department of Health. Nutrient Analysis of Fruit and Vegetables: Summary Report. London: Department of Health (2013). Available at: <https://www.gov.uk/government/publications/nutrient-analysis-of-fruit-and-vegetables>.
33. Chanson-Rolle A., et al. Nutritional Composition of Orange Juice: A Comparative Study Between French Commercial and Home-Made Juices. *Food Nutr Sci* 2016; 7:252–61. <https://www.scirp.org/journal/paperinformation.aspx?paperid=65813>
34. Aschoff J.K., et al. Bioavailability of cryptoxanthin is greater from pasteurized orange juice than from fresh oranges—a randomized cross-over study. *Mol. Nutr. Food Res.* 2015; 59, 1896–1904. <https://pubmed.ncbi.nlm.nih.gov/26114420/>
35. Pereira-Caro, G., et al. Orange juice (poly)phenols are highly bioavailable in humans. *Am. J. Clin. Nutr.* 2014; 100, 1378–1384. <https://pubmed.ncbi.nlm.nih.gov/25332336/>
36. Franke, A.A., et al. Bioavailability and Antioxidant Effects of Orange Juice Components in Humans. *J. Agric. Food Chem.* 2005; 53, 5170–5178 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2533031/>
37. Cervantes-Paz, B., et al. Effects of pectin on lipid digestion and possible implications for carotenoid bioavailability during pre-absorptive stages: A review. *Food Res. Int.* 2017; 99, 917–927. <https://pubmed.ncbi.nlm.nih.gov/28847428/>
38. Silveira, J.Q., et al. Pharmacokinetics of Flavanone Glycosides after Ingestion of Single Doses of Fresh-Squeezed Orange Juice versus Commercially Processed Orange Juice in Healthy Humans. *J. Agric. Food Chem.* 2014; 62, 12576–12584. <https://pubmed.ncbi.nlm.nih.gov/25495754/>
39. Schär M.Y., et al. Orange juice-derived flavanone and phenolic metabolites do not acutely affect cardiovascular risk biomarkers: a randomized, placebo-controlled, crossover trial in men at moderate risk of cardiovascular disease. *Am J Clin Nutr.* 2015; May;101(5):931-8. <https://pubmed.ncbi.nlm.nih.gov/25788001/>
40. Bestwick, C., et al. Fruit-Based Beverages Contain a Wide Range of Phytochemicals and Intervention Targets Should Account for the Individual Compounds Present and Their Availability. *Foods* 2020; 9, 891. <https://www.mdpi.com/2304-8158/9/7/891>
41. Grosso, G., et al. Red Orange: Experimental Models and Epidemiological Evidence of Its Benefits on Human Health. *Oxid. Med. Cell. Longev.* 2013; 2013, 157240. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3659473/>
42. Zamora-Ros., et al. Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. *Br. J. Nutr.* 2011; 106, 1915–1925. <https://pubmed.ncbi.nlm.nih.gov/21679483/>
43. World Health Organisation. *Guideline: Sugars Intake for Adults and Children*; WHO: Geneva, Switzerland, 2015.
44. World Health Organisation. Joint WHO/FAO Expert Consultation. In *Diet, Nutrition and the Prevention of Chronic Diseases*; World Health Organization: Geneva, Switzerland, 2003.
45. Wang, B. et al. Effect of fruit juice on glucose control and insulin sensitivity in adults: A meta-analysis of 12 randomized controlled trials. *PLoS ONE* 2014; 9, 95323. <https://pubmed.ncbi.nlm.nih.gov/24743260/>
46. Murphy, M., et al. 100 % Fruit juice and measures of glucose control and insulin sensitivity: A systematic review and meta-analysis of randomised controlled trials. *Journal of Nutritional Science*, 2017; 6, E59. <https://www.cambridge.org/core/journals/journal-of-nutritional-science/article/100-fruit-juice-and-measures-of-glucose-control-and-insulin-sensitivity-a-systematic-review-and-metaanalysis-of-randomised-controlled-trials/75266999F0E7BD2733A3CD4BAD848324>
47. Heyman M.B., Abrams S.A. Fruit juice in infants, children, and adolescents: current recommendations. *Pediatrics.* 2017; 139:e20170967. doi: 10.1542/peds.2017-0967 <https://pediatrics.aappublications.org/content/139/6/e20170967>
48. Yang M., et al. Orange juice, a marker of diet quality, contributes to essential micronutrient and antioxidant intakes in the United States population. *J Nutr Educ Behav.* 2013; 45:340–348. [https://www.jneb.org/article/S1499-4046\(12\)00534-9/pdf](https://www.jneb.org/article/S1499-4046(12)00534-9/pdf)
49. European Food Safety Authority (2021) Panel on Nutrition, Novel Foods and Food Allergens. Scientific Opinion. Draft scientific opinion on the Tolerable Upper Intake Level for dietary sugars. Available at URL <https://connect.efsa.europa.eu/RM/s/publicconsultation2/a011v00000D7rT9/pc0048>
50. Food Standards Australia New Zealand. (2011-2013). AUSNUT – Australian Food Composition Tables.
51. Aptekmann N.P., Cesar, T.B. Long-term orange juice consumption is associated with low LDL-cholesterol and apolipoprotein B in normal and moderately hypercholesterolemic subjects. *Lipids Health Dis* 2013;12:1–10. https://www.researchgate.net/publication/255692807_Longterm_orange_juice_consumption_is_associated_with_low_LDL-cholesterol_and_apolipoprotein_B_in_normal_and_moderately_hypercholesterolemic_subjects
52. Molan A.L., et al. The ability of blackcurrant extracts to positively modulate key markers of gastrointestinal function in rats. *World J Microbiol Biotechnol* 2010; 26:1735–1743.

- https://www.researchgate.net/publication/236837346_Evaluation_of_the_Effect_of_Blackcurrant_Products_on_Gut_Microbiota_and_on_Markers_of_Risk_for_Colon_Cancer_in_Humans
53. Yi, L., et al. Phytochemistry and bioactivity of Citrus flavonoids: a focus on antioxidant, anti-inflammatory, anticancer and cardiovascular protection activities, *Phytochem. Rev.*, 2017; 16, 479–511.
https://www.researchgate.net/publication/314223206_Phytochemistry_and_bioactivity_of_Citrus_flavonoids_a_focus_on_antioxidant_anti-inflammatory_anticancer_and_cardiovascular_protection_activities
 54. Dourado G.K.Z.S and T. B. Cesar. Investigation of cytokines, oxidative stress, metabolic, and inflammatory biomarkers after orange juice consumption by normal and overweight subjects, *Food Nutr.*, 2015; 59, 1–8.
<https://pubmed.ncbi.nlm.nih.gov/26490535/>
 55. Silveira J.Q., et al. Red-fleshed sweet orange juice improves the risk factors for metabolic syndrome, *Int. J. Food Sci. Nutr.*, 2015; 66, 830–836. <https://pubmed.ncbi.nlm.nih.gov/26471075/>
 56. Kurowska, E. M., et al. HDL-cholesterol-raising effect of orange juice in subjects with hypercholesterolemia. *Am. J. Clin. Nutr.* 2000; 72, 1095–1100. <https://pubmed.ncbi.nlm.nih.gov/11063434/>
 57. Tadros F.J., Andrade J.M. Impact of hesperidin in 100% orange juice on chronic disease biomarkers: A narrative systematic review and gap analysis. *Crit Rev Food Sci Nutr.* 2021; May 20:1-20.
<https://pubmed.ncbi.nlm.nih.gov/34014143/>
 58. Parkar, S.G., et al. Fecal microbial metabolism of phenols and its effects on human gut microbiota, *Anaerobe*, 2013; 23, 12–19. <https://pubmed.ncbi.nlm.nih.gov/23916722/>
 59. Wan, M.L.Y, et al. Influence of functional food components on gut health, *Crit. Rev. Food Sci. Nutr.*, 2018; 59, 1927–1936. <https://pubmed.ncbi.nlm.nih.gov/29381385/>
 60. Azzini E, et al. Effect of red orange juice consumption on body composition and nutritional status in overweight/obese female: A pilot study. *Oxid Med Cell Longev* 2017; 2017:1–9.
<https://pubmed.ncbi.nlm.nih.gov/28408969/>
 61. Duque A.L.R.F., et al. An exploratory study on the influence of orange juice on gut microbiota using a dynamic colonic model. *Food Res Int* 2016; 84:160–169.
<https://www.sciencedirect.com/science/article/pii/S0963996916301041>
 62. Lajolo F.M., et al. Dietary fiber in Latin America: technology and health: obtaining, characterization, physiological effect and application in food. Food and Agriculture Organisation of The United Nations. 2001 <https://agris.fao.org/agris-search/search.do?recordID=XF2015047190>
 63. Lima A.C.D., et al. Effect of Daily Consumption of Orange Juice on the Levels of Blood Glucose, Lipids, and Gut Microbiota Metabolites: Controlled Clinical Trials. *J Med Food.* 2019; Feb;22(2):202-210.
<https://pubmed.ncbi.nlm.nih.gov/30638420/>
 64. Guglielmetti S., et al. Differential modulation of human intestinal Bifidobacterium populations after consumption of a wild blueberry (*Vaccinium angustifolium*) drink. *J Agric Food Chem* 2013; 61:8134–8140.
<https://pubmed.ncbi.nlm.nih.gov/23883473/>
 65. Alvaro A., et al. Gene expression analysis of a human enterocyte cell line reveals downregulation of cholesterol biosynthesis in response to short-chain fatty acids. *IUBMB Life* 2008; 60:757–764.
<https://pubmed.ncbi.nlm.nih.gov/18642346/>
 66. Wong J.M., et al. Colonic health: Fermentation and short chain fatty acids. *J Clin Gastroenterol* 2006;3:235–243.
<https://pubmed.ncbi.nlm.nih.gov/16633129/>
 67. Duque A.L.R.F., et al. An exploratory study on the influence of orange juice on gut microbiota using a dynamic colonic model, *Food Res. Int.*, 2016; 84, 160–169.
https://www.researchgate.net/publication/299443705_An_exploratory_study_on_the_influence_orange_juice_on_gut_microbiota_using_a_dynamic_colonic_model
 68. Brasili E. et al. Daily consumption of orange juice from *Citrus sinensis* L. Osbeck cv. Cara Cara and cv. Bahia differently affects gut microbiota profiling as unveiled by an integrated meta-omics approach. *J. Agric. Food Chem.* 2019; 67, 1381–1391. <https://pubmed.ncbi.nlm.nih.gov/30644740/>
 69. Fidélis, M., et al. Microbiota modulation and effects on metabolic biomarkers by orange juice: a controlled clinical trial. *Food Funct.* 2020; 11,1599–1610. <https://pubmed.ncbi.nlm.nih.gov/32016250/>
 70. Lima A.C.D., et al. Effect of daily consumption of orange juice on the levels of blood glucose, lipids and gut microbiota metabolites: controlled clinical trials, *J. Med. Food*, 2019; 22, 202–210.
<https://pubmed.ncbi.nlm.nih.gov/30638420/>
 71. Kean, R.J., et al. Chronic consumption of flavanone-rich orange juice is associated with cognitive benefits: an 8-wk, randomized, double-blind, placebo-controlled trial in healthy older adults. *Am. J. Clin. Nutr.* 2015; 101, 506–514. <https://pubmed.ncbi.nlm.nih.gov/25733635/>

72. Alharbi, M.H., et al. Flavonoid-rich orange juice is associated with acute improvements in cognitive function in healthy middle- aged males. *Eur. J. Nutr.* 2016; 55, 2021–2029. <https://pubmed.ncbi.nlm.nih.gov/26280945/>
73. Lamport, D.J, et al. The effects of flavanone-rich citrus juice on cognitive function and cerebral blood flow: an acute, randomised, placebo- controlled cross-over trial in healthy, young adults. *Br. J. Nutr.* 2016; 116, 2160–2168. <https://pubmed.ncbi.nlm.nih.gov/28091350/>
74. Yeh T.S, et al. Long-term Dietary Flavonoid Intake and Subjective Cognitive Decline in US Men and Women. *Neurology.* 2021; Jul 28:10.1212 <https://pubmed.ncbi.nlm.nih.gov/34321362/>
75. Baker S.S., et al. The use and misuse of fruit juice in pediatrics. *Pediatrics.* 2001;107:1210– 3. <https://pubmed.ncbi.nlm.nih.gov/11331711/>
76. Crowe-White K., et al. Impact of 100% fruit juice consumption on diet and weight status of children: an evidence-based review. *Crit Rev Food Sci Nutr.* 2016; 56:871– 84. <https://pubmed.ncbi.nlm.nih.gov/26091353/>
77. Maillot M., et al. Consumption patterns of milk and 100% juice in relation to diet quality and Body weight among United States children: analyses of NHANES 2011-16 data. *Front Nutr.* 2019; 6:117. <https://pubmed.ncbi.nlm.nih.gov/31440512/>
78. Rampersaud G.C. 100 % Fruit juice: perspectives amid the sugar debate. *Public Health Nutr.* 2016; 19:906–13. <https://pubmed.ncbi.nlm.nih.gov/25892540/>
79. Auerbach B.J., et al. Fruit juice and change in BMI: a meta-analysis. *Pediatrics.* 2017; 139:e20162454. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5369671/>
80. Atkinson F.S., et al. International tables of glycemic index and glycemic load values: 2008. *Diabetes Care.* 2008; 31(12):2281–2283 <https://pubmed.ncbi.nlm.nih.gov/18835944/>
81. Ravn-Haren G., et al. Intake of whole apples or clear apple juice has contrasting effects on plasma lipids in healthy volunteers. *Eur J Nutr.* 2013; 52(8):1875–1889 <https://pubmed.ncbi.nlm.nih.gov/23271615/>
82. Sakaki J.R., et al. Associations between 100% orange juice consumption and dietary, lifestyle and anthropometric characteristics in a cross-sectional study of U.S. children and adolescents. *Nutrients.* 2019; 11:2687. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6893653/>
83. Simpson E.J., et al. Orange juice consumption and its effects on blood lipid profile and indices of the metabolic syndrome; a randomized, controlled trial in an at-risk population. *Food Funct* 2016; 7:1884–1891. <https://pubmed.ncbi.nlm.nih.gov/26965492/>
84. Ribeiro C., et al. Orange juice allied to a reduced-calorie diet results in weight loss and ameliorates obesity-related-biomarkers: A randomized trial. *Nutrition* 2017; 38: 13–19. <https://pubmed.ncbi.nlm.nih.gov/28526377/>
85. Schulze, M. B., et al. Sugar-sweetened beverages, weight gain, and incidence of type 2 diabetes in young and middle-aged women. *JAMA* 2004; 292, 927–934 <https://pubmed.ncbi.nlm.nih.gov/15328324/>
86. Dennison, B et al. Excess fruit consumption by preschool- aged children is associated with short stature and obesity. *Pediatrics* 1997; 99, 15–22 <https://pubmed.ncbi.nlm.nih.gov/8989331/>
87. Dubois, L., et al. Regular sugar-sweetened beverage consumption between meals increases risk of overweight among preschool-aged children. *J. Am. Diet. Assoc.* 2007; 107, 924–934 <https://pubmed.ncbi.nlm.nih.gov/17524711/>
88. Shefferly, A., et al. Longitudinal evaluation of 100% fruit juice consumption on BMI status in 2–5-year-old children. *Pediatr. Obes.* 2016; 11, 221–227. <https://pubmed.ncbi.nlm.nih.gov/26110996/>
89. O’Neil, CE. & Nicklas, T.A. A review of the relationship between 100% fruit juice consumption and weight in children and adolescents. *Am. J. Lifestyle Med.* 2008; 2, 315–354 <https://journals.sagepub.com/doi/abs/10.1177/1559827608317277>
90. Papandreou, D., et al. Is beverage intake related to overweight and obesity in school children? *Hippokratia* 2013; 17, 42–46 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3738277/>
91. Beck, A. L., et al. Association of beverage consumption with obesity in Mexican American children. *Public Health Nutr.* 2014; 17, 338–344 <https://pubmed.ncbi.nlm.nih.gov/23308395/>
92. Akhtar-Danesh, N. & Dehghan, M. Association between fruit juice consumption and self-reported body mass index among adult Canadians. *J. Hum. Nutr. Diet.* 2010; 23, 162–168 <https://pubmed.ncbi.nlm.nih.gov/20113383/>
93. Pereira, M. A. & Fulgoni, V. L. Consumption of 100% fruit juice and risk of obesity and metabolic syndrome: findings from the National Health and Nutrition Examination Survey 1999–2004. *J. Am. Coll. Nutr.* 2010; 29, 625–629 <https://pubmed.ncbi.nlm.nih.gov/21677126/>
94. O’Neil, C. E., et al. 100% Orange juice consumption is associated with better diet quality, improved nutrient adequacy, decreased risk for obesity, and improved biomarkers of health in adults: National Health and Nutrition Examination Survey, 2003-2006. *Nutr. J.* 2012; 11, 107 <https://pubmed.ncbi.nlm.nih.gov/23234248/>

95. Australia's health 2018: Fruit and vegetable Intake. AIHW, 2018. <https://www.aihw.gov.au/reports/australias-health/australias-health-2018/contents/indicators-of-australias-health/fruit-and-vegetable-intake>
96. Kent, K., Charlton, K., O'Sullivan, T. *et al.* Estimated intake and major food sources of flavonoids among Australian adolescents. *Eur J Nutr* 2020; 59, 3841–3856
97. Nicolosi E., *et al.* Citrus phylogeny and genetic origin of important species as investigated by molecular markers. *Theor Appl Genet* 2000;100:1155e66. http://citruspages.free.fr/Citrus_phylogeny.pdf
98. Hodgson RW. Horticultural varieties of citrus. In: Reuther W, Webber HJ and Batchelor LD. *The Citrus industry*, rev. University of California Press; 1967 <https://www.cabdirect.org/cabdirect/abstract/19680306358>
99. Barrett HC, Rhodes AM. A numerical taxonomic study of affinity relationships in cultivated citrus and its close relatives. *Syst Bot.* 1976; 1(2): 105–136. <https://agris.fao.org/agris-search/search.do?recordID=US7766455>
100. Goff SA and Klee HJ. Plant volatile compounds: sensory cues for health and nutritional value? *Science* 2006; 311:815–819 <https://pubmed.ncbi.nlm.nih.gov/16469919/>
101. Musara C., *et al.* Review of the nutritional composition, medicinal, phytochemical and pharmacological properties of *Citrus reticulata* Blanco (Rutaceae) [version 1; peer review: 1 approved]. *F1000Research* 2020; 9:1387 <https://f1000research.com/articles/9-1387>
102. Miyazaki T., *et al.* Aroma characterization of tangerine hybrids by gas-chromatography – olfactometry and sensory evaluation. *J Sci Food Agric* 2012; 92:727–735 <https://pubmed.ncbi.nlm.nih.gov/22413143/>
103. Gross J. Pigments in fruits, in *Food Science and Technology, a Series of Monographs*, ed. by Schweigert BS, Academic Press, Orlando, FL, 1987 <https://www.worldcat.org/title/pigments-in-fruits/oclc/709382960>
104. Alquezar B., *et al.* Carotenoid biosynthesis and their regulation in citrus fruits, in *Tree and Forestry Science and Biotechnology*, ed. by Benkeblia, N and Tennant P. Global Science Books, Isleworth, pp. 23–35, 2008 [http://www.globalsciencebooks.info/Online/GSBOOnline/images/0812/TFSB_2\(S11\)/TFSB_2\(S11\)23-35o.pdf](http://www.globalsciencebooks.info/Online/GSBOOnline/images/0812/TFSB_2(S11)/TFSB_2(S11)23-35o.pdf)
105. Kato M., *et al.* Accumulation of carotenoids and expression of carotenoid biosynthetic genes during maturation in citrus fruit. *Plant Physiol* 2004; 134:824–837 <https://pubmed.ncbi.nlm.nih.gov/14739348/>
106. Goodner K.L., *et al.* Orange, mandarin, and hybrid classification using multivariate statistics based on carotenoid profiles. *J Agric Food Chem* 2001; 49:1146–1150 <https://pubmed.ncbi.nlm.nih.gov/11312826/>
107. Yuan J.M., *et al.* Dietary cryptoxanthin and reduced risk of lung cancer: the Singapore Chinese health study. *Cancer Epidemiol Biomarkers Prev* 2003; 12:890–898 <https://pubmed.ncbi.nlm.nih.gov/14504200/>
108. Takayanagi K., *et al.* Mechanism of visceral fat reduction in tsumura suzuki obese, diabetes (TSOD) mice orally administered β -cryptoxanthin from Satsuma mandarin oranges (*Citrus unshiu* Marc) *J Agric Food Chem* 2011; 59:12342–12351 <https://pubmed.ncbi.nlm.nih.gov/22085304/>
109. Wu C., *et al.* The chemo-preventive effect of β -cryptoxanthin from mandarin on human stomach cells (BGC-823). *Food Chem* 2013; 136:1122–1129 <https://pubmed.ncbi.nlm.nih.gov/23194503/>
110. Chen Q., *et al.* Profiling of flavonoid and antioxidant activity of fruit tissues from 27 Chinese local citrus cultivars. *Plants (Basel)*. 2020; 9(2): 196 <https://www.mdpi.com/2223-7747/9/2/196>
111. Ye X.Q., *et al.* Identification of bioactive composition and antioxidant activity in young mandarin fruits. *Food Chem*. 2011; 124(4): 1561–6. https://www.researchgate.net/publication/248511191_Identification_of_bioactive_composition_and_antioxidant_activity_in_young_mandarin_fruits
112. Matsumoto H, Ikoma Y. Effect of different postharvest temperatures on the accumulation of sugars, organic acids, and amino acids in the juice sacs of Satsuma mandarin (*Citrus unshiu*. Marc) fruit. *J Agric Food Chem*. 2012; 60(39): 9900–9 <https://pubmed.ncbi.nlm.nih.gov/22950419/>
113. Zhang Y.M., *et al.* Phenolic compositions and antioxidant capacities of Chinese wild mandarin (*Citrus reticulata* Blanco) fruits. *Food Chem*. 2014; 145: 674–80. <https://pubmed.ncbi.nlm.nih.gov/24128530/>
114. Rodrigo M.J., *et al.* Carotenoid bio accessibility in pulp and fresh juice from carotenoid-rich sweet oranges and mandarins. *Food Funct*. 2015; 6(6): 1950–9 <https://pubmed.ncbi.nlm.nih.gov/25996796/>
115. Antoine S., *et al.* Short- and long-term effects of carbohydrate limitation on sugar and organic acid accumulation during mandarin fruit growth. *J Sci Food Agric*. 2016; 96(11): 3906–14 <https://pubmed.ncbi.nlm.nih.gov/26694637/>
116. Al-Snafi AE. Nutritional value and pharmacological importance of citrus species grown in Iraq. *IOSR J Pharm*. 2016; 6(8): 76–108 https://www.researchgate.net/publication/308493812_Nutritional_value_and_pharmacological_importance_of_citrus_species_grown_in_Iraq
117. Rincon A.M., *et al.* [Chemical composition and bioactive compounds of flour of orange (*Citrus sinensis*), tangerine (*Citrus reticulata*) and grapefruit (*Citrus paradisi*) peels cultivated in Venezuela]. *Arch Latinoam Nutr*. 2005; 55(3): 305–310 <https://pubmed.ncbi.nlm.nih.gov/16454058/>

118. Bown D: Encyclopaedia of herbs and their uses. London: Dorling Kindersley; 1995.
<https://www.worldcat.org/title/encyclopedia-of-herbs-their-uses/oclc/1033566684>
119. Chopra R.N., et al. Glossary of Indian medicinal plants (Including the Supplement). New Delhi: Council of Scientific and Industrial Research; 1986 <https://www.journals.uchicago.edu/doi/abs/10.1086/402350>
120. Anonymous: The wealth of India: A dictionary of Indian raw materials and industrial products. New Delhi: National Institute of Science Communication and Information Resources; 2000; 65–69
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5189551/>
121. Khan M.A., et al. Phytochemical investigation of the fruit peels of *Citrus reticulata* Blanco. *Nat Prod Res.* Formerly Natural Product Letters. 2010; 24(7): 610–620 <https://pubmed.ncbi.nlm.nih.gov/20401792/>
122. Li Y., et al. In vitro anti-*Helicobacter pylori* action of 30 Chinese herbal medicines used to treat ulcer diseases. *J Ethnopharmacol.* 2005; 98(3): 329–333 <https://pubmed.ncbi.nlm.nih.gov/15814268/>
123. Saeb, S.M., et al. Evaluation of Antibacterial Activities of Citrus limon, Citrus reticulata, and Citrus grandis Against Pathogenic Bacteria. *Int. J. Enteric Pathogens.* 2016; 4. 11-15. 10.15171/ijep.2016.13
<https://enterpathog.abzums.ac.ir/FullHtml/ijep-20161009213802>
124. Shetty S.B., et al. Antimicrobial effects of Citrus sinensis peel extracts against dental caries bacteria: An in vitro study. *J Clin Exp Dent.* 2016;8(1):e71-e77 <https://pubmed.ncbi.nlm.nih.gov/26855710/>
125. Yashaswini Y.A. Antimicrobial Properties of Orange (*Citrus reticulata* var. *Kinnow*). Peel Extracts against Pathogenic Bacteria. *Int J Curr Microbiol App Sci.* 2018; 7(3): 737–746 <https://www.ijcmas.com/7-3-2018/P.%20Yashaswini%20and%20Arvind.pdf>
126. Liu Y.Q., et al. History, global distribution, and nutritional importance of citrus fruits. *Compr Rev Food Sci Food Saf.* 2012; 11(6): 530–545. <https://onlinelibrary.wiley.com/doi/full/10.1111/j.1541-4337.2012.00201.x>
127. Sultana H.S., et al. Influence of volatile constituents of fruit peels of *Citrus reticulata* Blanco on clinically isolated pathogenic microorganisms under in-vitro. *Asian Pac J Trop Biomed.* 2012; 2(3): S1299–S1302
<https://www.semanticscholar.org/paper/Influence-of-volatile-constituents-of-fruit-peels-Sultana-Ali/a9590e2bb6f5e8e1ee7fb08e08beda0493d22aaa>
128. Goldenberg, L., et al. Mandarin fruit quality: a review. *J. Sci. Food Agric* 2018; 98: 18-26. <https://pubmed.ncbi.nlm.nih.gov/28631804/>
129. Goldenberg L., et al. Genetic diversity among mandarins in fruit-quality traits. *J Agric Food Chem* 2014; 62:4938–4946 <https://pubmed.ncbi.nlm.nih.gov/24828369/>
130. Vardi A.L. and Carmi N. Induction of seedlessness in citrus: from classical techniques to emerging biotechnological approaches. *J Am Soc Hort Sci* 2008; 133:117–126
<https://journals.ashs.org/jashs/view/journals/jashs/133/1/article-p117.xml>
131. Aleza P. et al. ‘Garbi’ mandarin: a new late maturing triploid hybrid. *Hortscience* 2010; 45:139–141
<https://journals.ashs.org/hortsci/view/journals/hortsci/45/1/article-p139.xml>
132. Klimek-Szczykutowicz M., et al. *Citrus limon* (Lemon) Phenomenon-A Review of the Chemistry, Pharmacological Properties, Applications in the Modern Pharmaceutical, Food, and Cosmetics Industries, and Biotechnological Studies. *Plants* (Basel). 2020; Jan 17;9(1):119 <https://pubmed.ncbi.nlm.nih.gov/31963590/>
133. González-Molina E., et al. Natural bioactive compounds of Citrus limon for food and health. *J Pharm Biomed Anal.* 2010; Jan 20;51(2):327-45. <https://pubmed.ncbi.nlm.nih.gov/19748198/>
134. Potassium – Nutrient Reference Value. NHMRC. <https://www.nrv.gov.au/nutrients/potassium>
135. Kawaii S. et al. Quantitative study of flavonoids in leaves of Citrus plants. *J Agricul and Food Chemistry* 2000; 26. 48.9: 3865-3871. <https://pubmed.ncbi.nlm.nih.gov/10995283/>
136. Kajimoto, O. et al. The internet investigation about the attenuation of fatigue feeling by taking a drink containing lemon citric acid. (in Japanese). *Jpn. Pharmacol. Ther.* 2007; 35, 821–828
https://jglobal.jst.go.jp/en/detail?JGLOBAL_ID=200902295522193790
137. Miyake, Y. et al. Lipid-lowering effect of eriocitrin, the main flavonoid in lemon fruit, in rats on a high-fat and high-cholesterol diet. *J. Food Sci.* 2006; 71, S633–S637 <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1750-3841.2006.00192.x>
138. Goetz, P. *Citrus limon* (L.) Burm. f. (Rutacées). Citronnier. *Phytotherapie* 2014; 12, 116–121.
https://www.researchgate.net/publication/273819220_Citrus_limon_L_Burm_f_Rutacees_Citronnier
139. Robards, K. and Antolovich, M. Analytical chemistry of fruit bioflavonoids. A review. *Analyst* 1997; 122, 11–34.
<https://pubs.rsc.org/en/content/articlelanding/1997/an/a606499j>
140. Tripoli, E., et al Citrus flavonoids: Molecular structure, biological activity and nutritional properties: A review. *Food Chemistry.* 2007; 104. 466-479
https://www.researchgate.net/publication/223317404_Citrus_flavonoids_Molecular_structure_biological_activity_and_nutritional_properties_A_review

141. Hiramitsu, M., et al. Eriocitrin ameliorates diet-induced hepatic steatosis with activation of mitochondrial biogenesis. *Sci. Rep.* 2014; 4, 3708 <https://pubmed.ncbi.nlm.nih.gov/24424211/>
142. Miyake, Y., et al. Isolation of antioxidative phenolic glucosides from lemon juice and their suppressive effect on the expression of blood adhesion molecules. *Biosci. Biotechnol. Biochem.* 2007; 71, 1911–1919 <https://pubmed.ncbi.nlm.nih.gov/17690486/>
143. Miyake, Y., et al. Difference in plasma metabolite concentration after ingestion of lemon flavonoids and their aglycones in humans. *J. Nutr. Sci. Vitaminol.* 2006; 52, 54–60 <https://pubmed.ncbi.nlm.nih.gov/16637230/>
144. Mabberley, D.J. *Citrus (Rutaceae): A review of recent advances in etymology, systematics and medical applications.* *Blumea J. Plant Taxon. Plant Geogr.* 2004; 49, 481–498. https://www.researchgate.net/publication/233545464_Citrus_Rutaceae_A_Review_of_Recent_Advances_in_Etymology_Systematics_and_Medical_Applications
145. Penniston K.L., et al. Quantitative assessment of citric acid in lemon juice, lime juice, and commercially-available fruit juice products. *J. Endourol.* 2008; Mar;22(3):567-70 <https://pubmed.ncbi.nlm.nih.gov/18290732/>
146. Singh N. et al. Features, Pharmacological Chemistry, Molecular Mechanism and Health Benefits of Lemon. *Med Chem.* 2021;17(3):187-202. <https://pubmed.ncbi.nlm.nih.gov/32901586/>
147. Riaz, A., et al. In vitro/in vivo effect of *Citrus limon* (L. Burm. f.) juice on blood parameters, coagulation and anticoagulation factors in rabbits. *Pak. J. Pharm. Sci.* 2014; 27, 907–915. <https://pubmed.ncbi.nlm.nih.gov/25015459/>
148. Bharate S.S. and Bharate S.B. Non-enzymatic browning in citrus juice: chemical markers, their detection and ways to improve product quality. *J. Food Sci Technol.* 2014; Oct;51(10):2271-88 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4190239/>
149. Duyn M.A.S.V. and Pivonka E. Overview of the health benefits of fruit and vegetable consumption for the dietetics professional: selected literature. *J. Am Diet Assoc* 2000;100:1511–1521 <https://pubmed.ncbi.nlm.nih.gov/11138444/>
150. Papp, N., et al. Traditional uses of medicinal plants for respiratory diseases in Transylvania. *Nat. Prod. Commun.* 2011; 6, 1459–1460 <https://pubmed.ncbi.nlm.nih.gov/22164782/>
151. Clement, Y.N., et al. An ethnobotanical survey of medicinal plants in Trinidad. *J. Ethnobiol. Ethnomed.* 2015; 11, 1–28. <https://ethnobiomed.biomedcentral.com/articles/10.1186/s13002-015-0052-0>
152. Bhatia, H., et al. Traditional phytotherapies for the treatment of menstrual disorders in district Udhampur, J&K, India. *J. Ethnopharmacol.* 2015; 160, 202–210 <https://pubmed.ncbi.nlm.nih.gov/25479156/>
153. Balogun, F.O. and Ashafa, A.O.T. A review of plants used in South African Traditional Medicine for the management and treatment of hypertension. *Planta Med.* 2019; 85, 312–334 <https://www.thieme-connect.com/products/ejournals/abstract/10.1055/a-0801-8771>
154. Penn Medicine (November 10, 2020). Health and Wellness. 6 at-home remedies to ease your sore throat. Available at <http://jst.org.in/wp-content/uploads/2020/11/03.-Medicinal-and-Health-Benefits-of-Lemon.pdf>
155. Otang, W.M. and Afolayan, A.J. Antimicrobial and antioxidant efficacy of *Citrus limon* L. peel extracts used for skin diseases by Xhosa tribe of Amathole District, Eastern Cape, South Africa. *S. Afr. J. Bot.* 2016; 102, 46–49 <https://www.sciencedirect.com/science/article/pii/S0254629915003610>
156. Parhiz, H., et al. Antioxidant and anti-inflammatory properties of the citrus flavonoids hesperidin and hesperetin: An updated review of their molecular mechanisms and experimental models. *Phyther. Res.* 2015; 29, 323–331 <https://pubmed.ncbi.nlm.nih.gov/25394264/>
157. Kim, J., et al. Evaluation of chemopreventive and cytotoxic effect of lemon seed extracts on human breast cancer (MCF-7) cells. *Food Chem. Toxicol.* 2012; 50, 423–430. <https://pubmed.ncbi.nlm.nih.gov/22056335/>
158. Bhavsar, S.K, et al. Investigation into hepatoprotective activity of *Citrus limon*. *Pharm. Biol.* 2007; 45, 303–311 <https://www.tandfonline.com/doi/full/10.1080/13880200701214995>
159. Espina, L., et al. Inactivation of *Escherichia coli* O157: H7 in fruit juices by combined treatments of citrus fruit essential oils and heat. *Int. J. Food Microbiol.* 2012; 159, 9–16 https://www.researchgate.net/publication/230711052_Inactivation_of_Escherichia_coli_O157H7_in_fruit_juices_by_combined_treatments_of_citrus_fruit_essential_oils_and_heat
160. Kato, Y., et al. Effect on blood pressure of daily lemon ingestion and walking. *J. Nutr. Metab.* 2014; 912684 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4003767/>
161. Abad-García, B., et al. On line characterization of 58 phenolic compounds in *Citrus* fruit juices from Spanish cultivars by high-performance liquid chromatography with photodiode-array detection coupled to electrospray ionization triple quadrupole mass spectrometry. *Talanta* 2012; 99, 213–224 <https://pubmed.ncbi.nlm.nih.gov/22967544/>

162. García-Salas, P., et al. A. Influence of technological processes on phenolic compounds, organic acids, furanic derivatives, and antioxidant activity of whole-lemon powder. *Food Chem.* 2013; 141, 869–878
<https://pubmed.ncbi.nlm.nih.gov/23790861/>
163. Russo, M., et al. Reduced time HPLC analyses for fast quality control of citrus essential oils. *J. Essent. Oil Res.* 2015; 27, 307–315
https://www.researchgate.net/publication/276116467_Reduced_time_HPLC_analyses_for_fast_quality_control_of_citrus_essential_oils
164. Peterson J.J., et al. Flavanones in grapefruit, lemons, and limes: a compilation and review of the data from the analytical literature. *J Food Compos Anal* 2006;19:S74e80
https://www.ars.usda.gov/ARUserFiles/80400525/articles/jfca19_s74-s80.pdf
165. Kiani J. and Imam SZ. Medicinal importance of grapefruit juice and its interaction with various drugs. *Nutr J* 2007; 3: 33 <https://nutritionj.biomedcentral.com/articles/10.1186/1475-2891-6-33>
166. Ribeiro I.A. and Ribeiro M.H.L. Naringin and naringenin determination and control in grapefruit juice by a validated HPLC method. *Food Control* 2008; 19: 432–438 <https://agris.fao.org/agris-search/search.do?recordID=US201300892887>
167. Madrigal-Bujaidar E., et al. Grapefruit juice suppresses azoxymethane-induced colon aberrant crypt formation and induces antioxidant capacity in mice. *Asian Pac J Cancer Pre* 2013;14:6851e6
<https://pubmed.ncbi.nlm.nih.gov/24377616/>
168. Mahgoub A.A. Grapefruit juice potentiates the anti-inflammatory effects of diclofenac on the carrageenan-induced rat's paw oedema. *Pharmacol Res* 2002;45:1e4 <https://pubmed.ncbi.nlm.nih.gov/11820853/>
169. Chudnovskiy R., et al. Consumption of clarified grapefruit juice ameliorates high-fat diet induced insulin resistance and weight gain in mice. *PLoS One* 2014;9:e108408 <https://pubmed.ncbi.nlm.nih.gov/25296035/>
170. Tripoli E., et al. Citrus flavonoids: molecular structure, biological activity and nutritional properties: a review. *Food Chem* 2007;104:466e79 <https://europepmc.org/article/AGR/IND43919367>
171. Benavente-Garcia O. and Castillo J. Update on uses and properties of citrus flavonoids: new findings in anticancer, cardiovascular, and anti-inflammatory activity. *J Agric Food Chem* 2008; 56:6185e205
<https://pubmed.ncbi.nlm.nih.gov/18593176/>
172. Florida Department of citrus: *History of Dieting*. Florida: Department of Citrus, Lakeland FL, 2003.
173. Chaw, C. S., et al. The effect of pH on the gastric emptying of liquids measured by electrical impedance tomography and pH-sensitive radiotelemetry capsule. *Int. J. Pharm.* 2001; 227: 167–175
<https://pubmed.ncbi.nlm.nih.gov/11564551/>
174. Bolton, R.P., et al. The role of dietary fiber in satiety, glucose, and insulin: Studies with fruit and fruit juice. *Am. J. Clin. Nutr.* 1981; 34(2):211–217 <https://pubmed.ncbi.nlm.nih.gov/6259919/>
175. Onakpoya I., et al The effect of grapefruits (*Citrus paradisi*) on body weight and cardiovascular risk factors: A systematic review and meta-analysis of randomized clinical trials. *Crit Rev Food Sci Nutr.* 2017; Feb 11;57(3):602-612 <https://pubmed.ncbi.nlm.nih.gov/25880021/>
176. Dow C.A., et al. Daily consumption of grapefruit for 6 weeks reduces urine F2-isoprostanes in overweight adults with high baseline values but has no effect on plasma high-sensitivity C-reactive protein or soluble vascular cellular adhesion molecule 1. *J Nutr.* 2013; Oct;143(10):1586-92 <https://pubmed.ncbi.nlm.nih.gov/23902962/>
177. Landberg R., et al. Selected dietary flavonoids are associated with markers of inflammation and endothelial dysfunction in U.S. women. *J Nutr.* 2011;141:618–25 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3057665/>
178. Cassidy A., et al. Dietary flavonoids and risk of stroke in women. *Stroke.* 2012;43:946–51
<https://pubmed.ncbi.nlm.nih.gov/22363060/>
179. Dow C.A., et al. The effects of daily consumption of grapefruit on body weight, lipids, and blood pressure in healthy, overweight adults. *Metabolism.* 2012 Jul;61(7):1026-35 <https://pubmed.ncbi.nlm.nih.gov/22304836/>
180. Fujioka K., et al. The effects of grapefruit juice on weight and insulin resistance: relationship to metabolic syndrome. *J Med Food* 2006; 9(1): 49–54. <https://pubmed.ncbi.nlm.nih.gov/16579728/>
181. Owira P.M.O. and Ojewole J.A.O. Grapefruit juice improves glycemic control but exacerbates metformin-induced lactic acidosis in non-diabetic rats: *Meth Findings Exper Clin Pharmacol* 2009; 31(9): 563–570.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3721883/>
182. Adeneye A.A. Hypoglycemic and hypolipidemic effects of methanol seed extract of *Citrus paradisi* Macfad (Rutaceae) in alloxan-induced diabetic Wistar rats. *Nig Q J Hosp Med* 2008; 18(4): 211–215
<https://pubmed.ncbi.nlm.nih.gov/19391322/>
183. Bourgaud F., et al. Biosynthesis of coumarins in plants: a major pathway still to be unravelled for cytochrome P450 enzymes. *Phytochem Rev* 2006;5:293e308 <https://www.semanticscholar.org/paper/Biosynthesis-of-coumarins-in-plants%3A-a-major-still-Bourgaud-Hehn/054e87b4ae9a7aaef5dc7f9bf7e2e3ecbe55fe4a>

184. Guo L.Q., et al. Role of furanocoumarin derivatives on grapefruit juice-mediated inhibition of human CYP3A activity. *Drug Metab Disposition* 2000;28:766e71 <https://pubmed.ncbi.nlm.nih.gov/10859150/>
185. Uesawa Y. and Mohri K. The use of heat treatment to eliminate drug interactions due to grapefruit juice. *Biol Pharm Bull* 2006;29:2274e8 <https://pubmed.ncbi.nlm.nih.gov/17077528/>
186. Uesawa Y. and Mohri K. UV-irradiated grapefruit juice loses pharmacokinetic interaction with nifedipine in rats. *Biol Pharm Bull* 2006;29:1286e9 <https://pubmed.ncbi.nlm.nih.gov/16755036/>
187. Myung K., et al. Removal of furanocoumarins in grapefruit juice by edible fungi. *J Agric Food Chem* 2008;56:12064e8 <https://pubmed.ncbi.nlm.nih.gov/19012403/>
188. Wei-Lun H., et al. Chemistry and health effects of furanocoumarins in grapefruit. *Journal of Food and Drug Analysis* Jan 25, 2017;71e83 <https://pubmed.ncbi.nlm.nih.gov/28911545/>
189. Hung W.L., et al. Chemistry and health effects of furanocoumarins in grapefruit. *J Food Drug Anal.* 2017;25(1):71-83 <https://pubmed.ncbi.nlm.nih.gov/28911545/>
190. Kim S.M., et al. Bergamottin, a natural furanocoumarin obtained from grapefruit juice induces chemo sensitization and apoptosis through the inhibition of STAT3 signaling pathway in tumor cells. *Cancer Lett* 2014;354:153e63 <https://pubmed.ncbi.nlm.nih.gov/25130169/>
191. Panno M., et al Evidence that bergapten, independently of its photoactivation, enhances p53 gene expression and induces apoptosis in human breast cancer cells. *Curr Cancer Drug Targets* 2009;9:469e81 <https://pubmed.ncbi.nlm.nih.gov/19519316/>
192. Panno M.L., et al Bergapten induces ER depletion in breast cancer cells through SMAD4-mediated ubiquitination. *Breast Cancer Res Treat* 2012;136:443e55 <https://pubmed.ncbi.nlm.nih.gov/23053665/>
193. Tang C.H., et al. Enhancement of bone morphogenetic protein-2 expression and bone formation by coumarin derivatives via p38 and ERK-dependent pathway in osteoblasts. *Eur J Pharmacol* 2008;579:40e9 <https://pubmed.ncbi.nlm.nih.gov/17980360/>
194. Xiao J.J., et al. Bergapten promotes bone marrow stromal cell differentiation into osteoblasts in vitro and in vivo. *Mol Cell Biochem* 2015;409:113e22 <https://pubmed.ncbi.nlm.nih.gov/26188800/>
195. Deyhim F., et al. Grapefruit juice modulates bone quality in rats. *J Med Food* 2008;11:99e104 <https://pubmed.ncbi.nlm.nih.gov/18361744/>
196. Deyhim F., et al. Citrus juice modulates bone strength in male senescent rat model of osteoporosis. *Nutrition* 2006;22:559e63. <https://pubmed.ncbi.nlm.nih.gov/16472977/>
197. Deyhim F., et al. Grapefruit pulp increases antioxidant status and improves bone quality in orchidectomized rats. *Nutrition* 2008;24:1039e44 <https://pubmed.ncbi.nlm.nih.gov/18595661/>
198. Ersus, S. and Cam, M. Determination of organic acids, total phenolic content, and antioxidant capacity of sour Citrus aurantium fruits. *Chemistry of Natural Compounds*, 2007; 43(5), 607–609 https://www.researchgate.net/publication/234703349_Determination_Of_Organic_Acids_Total_Phenolic_Content_and_Antioxidant_Capacity_Of_Sour_Citrus_Aurantium_Fruits
199. Jana P., et al. Medicinal and health benefits of lemon. *J Science and Technology* 2021; Vol 6, Issue 1 <http://jst.org.in/wp-content/uploads/2020/11/03.-Medicinal-and-Health-Benefits-of-Lemon.pdf>
200. Ajugwo. A. Nutritional value of lime and lemon in hypercholesterolaemic induced rats. *Asian Journal of Medical Science*, 2012;Volume-3 https://www.researchgate.net/publication/258514543_Nutritional_value_of_lime_and_lemon_in_hypercholesterolaemic_induced_rats
https://www.researchgate.net/publication/258514543_Nutritional_value_of_lime_and_lemon_in_hypercholesterolaemic_induced_rats
201. Rungruanghiranya S., et al. Efficacy of fresh lime for smoking cessation. *J Med Assoc Thai.* 2012; Dec;95 Suppl 12:S76-82. PMID: 23513469 <https://pubmed.ncbi.nlm.nih.gov/23513469/>
202. Bocco A., et al. Antioxidant Activity and Phenolic Composition of Citrus Peel and Seed Extracts, *J Agric Food Chem*, 1998; 46, 2123-9 <https://europepmc.org/article/AGR/IND21961693>
203. Lee K.W., et al. Molecular Targets of Phytochemicals for Cancer Prevention, *Nature Reviews Cancer*, 2011; 11, 211-8 <https://pubmed.ncbi.nlm.nih.gov/21326325/>
204. Tumbas V.T., et al. Antioxidant Activity of Mandarin (Citrus reticulata) peel, *APTEFF*, 2010; 41, 195-203 <https://doaj.org/article/ca6e38f44cee47dd8b82819f556fd5d0>
205. Reckham, R.L., et al. Effect of mechanical harvesting on keeping quality of Florida citrus fruit for the fresh fruit market. *HortScience* 1971; 6, 163–165.
206. Hamedani, M., et al. Determination of storage duration and temperature effects on fruit quality parameters of blood orange (Citrus sinensis cv. Tarocco). *Biharean Biologist*, 2012; 6(1), 10–13 https://www.researchgate.net/publication/287915948_Determination_of_storage_duration_and_temperature_effects_on_fruit_quality_parameters_of_blood_orange_Citrus_sinensis_cv_Tarocco

207. Lee, T., et al. The effects of preharvest shading and postharvest storage temperatures on the quality of 'Ponkan' (*Citrus reticulata* Blanco) mandarin fruits. *Scientia Horticulturae*, 2015; 188, 57–65
<https://www.cabdirect.org/cabdirect/abstract/20153193713>
208. Yun, Z.E., et al. Comparative transcriptomics and proteomics analysis of citrus fruit, to improve understanding of the effect of low temperature on maintaining fruit quality during lengthy post-harvest storage. *Journal of Experimental Botany*, 2012; 63(8), 2873–2893 <https://academic.oup.com/jxb/article/63/8/2873/727360>
209. Yang, C., et al. Citric acid treatment reduces decay and maintains the postharvest quality of peach (*Prunus persica* L.) fruit. *Food Science & Nutrition*, 2019; 7(11), 3635–3643 <https://pubmed.ncbi.nlm.nih.gov/31763012/>
210. Chaudhary, P.R., et al. Influence of storage temperature and low-temperature conditioning on the levels of health-promoting compounds in Rio Red grapefruit. *Food Science & Nutrition*, 2017; 5(3), 545–553
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5448389/>
211. Lee, S.K. and Kader, A. Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest Biology and Technology* 20 2000;: 207-220.
<https://www.sciencedirect.com/science/article/abs/pii/S0925521400001332>
212. Alhassan, A.F., et al. Effect of maturity stage and storage duration on physico-chemical properties of citrus (citrus sinensis var. Late valencia). *European Scientific Journal, ESJ*, 2014;10(36)
<https://eujournal.org/index.php/esj/article/view/4894>
213. Cancalon P.F., et al. Effect of maturity, processing, and storage on the furanocoumarin composition of grapefruit and grapefruit juice. *J Food Sci* 2011;76:C543e8. <https://pubmed.ncbi.nlm.nih.gov/22417333/>
214. Chaudhary P.R., et al. Low temperature conditioning reduces chilling injury while maintaining quality and certain bioactive compounds of 'Star Ruby' grapefruit. *Food Chem* 2014;153:243e9.
<https://pubmed.ncbi.nlm.nih.gov/24491726/>
215. Hung W.L., et al. Chemistry and health effects of furanocoumarins in grapefruit. *J Food Drug Anal.* 2017;25(1):71-83 <https://pubmed.ncbi.nlm.nih.gov/28911545/>
216. González-Molina, E., et al. Natural bioactive compounds of *Citrus limon* for food and health. *J. Pharm. Biomed. Anal.* 2010, 51, 327–345. <https://pubmed.ncbi.nlm.nih.gov/19748198/>
217. Martí, N., et al. Vitamin C and the role of citrus juices as functional food. *Nat. Prod. Commun.* 2009, 4, 677–700.
<https://pubmed.ncbi.nlm.nih.gov/19445318/>
218. A. Abbasi, M. Niakousari, *Electron. J. Environ. Agric. Food Chem.* 6 (2007) 1735–1741
<https://core.ac.uk/download/pdf/207053354.pdf>
219. Uddin M.S., et al. Degradation of ascorbic acid in dried guava during storage. *Journal of Food engineering.* 2002; Jan;51(1):21-26 <https://europepmc.org/article/agr/ind23298149>
220. Bazemore, R., et al. Volatiles from unspiced and excessively heated orange juice analyzed with solid phase microextraction and GC- olfactometry. *J. Food Sci.* 1999; 64 (5), 800–803
<https://onlinelibrary.wiley.com/doi/10.1111/j.1365-2621.1999.tb15915.x>
221. Clegg K.M. Nonenzymic browning of lemon juice. *J Sci Food Agric* 15:878–885. 1964.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/jsfa.2740151212>
222. Yuki S., et al. Browning and Decomposed Products of Model Orange Juice, *Bioscience, Biotechnology, and Biochemistry*, 2004; 68, 3, Pages 529–536 <https://academic.oup.com/bbb/article/68/3/529/5952821>
223. Bharate SS, Bharate SB. Non-enzymatic browning in citrus juice: chemical markers, their detection and ways to improve product quality. *J Food Sci Technol.* 2014;51(10):2271-2288
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4190239/>
224. Solomon O., et al. Effect of oxygen and fluorescent light on the quality of orange juice during storage at 8 °C. *Food Chem* 1995; 53:363–368 <https://www.semanticscholar.org/paper/Effect-of-oxygen-and-fluorescent-light-on-the-of-at-Solomon-Svanberg/e96095f52d4e8fd46830c03e791ed1036a5ac7dc>
225. Robertson G.L. and Samaniego C.M.L. Effect of initial dissolved oxygen levels on the degradation of ascorbic acid and the brown- ing of lemon juice during storage. *J Food Sci* 1986; 51:184–192
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1365-2621.1986.tb10866.x>
226. Nagy S., et al. Nonenzymic browning of commercially canned and bottled grapefruit juice. *J Agric Food Chem* 1990; 38:343–346 <https://pubs.acs.org/doi/abs/10.1021/jf00092a001>
227. Perez-Cacho P.R. and Rouseff R. Processing and storage effects on orange juice aroma: a review. *J Agric Food Chem.* 2008; Nov 12;56(21):9785-96 <https://pubmed.ncbi.nlm.nih.gov/18828595/>
228. Gil-Izquierdo, A., et al. In vitro avail- ability of flavonoids and other phenolics in orange juice, *J. Agric. Food Chem.*, 2001, 49, 1035–1041 <https://pubmed.ncbi.nlm.nih.gov/11262068/>
229. Vallejo F., et al. Concentration and solubility of flavanones in orange beverages affect their bioavailability in humans, *J. Agric. Food Chem.*, 2010, 58, 6516–6524 <https://pubmed.ncbi.nlm.nih.gov/20441150/>

230. Fidélis M., et al. Microbiota modulation and effects on metabolic biomarkers by orange juice: a controlled clinical trial. *Food Funct.* 2020; Feb 26;11(2):1599-1610 <https://pubmed.ncbi.nlm.nih.gov/32016250/>
231. Klimczak I., et al. Effect of Storage on the Content of Polyphenols, Vitamin C and the Antioxidant Activity of Orange Juices. *J Food Comp Anal* 2007; 20:313–20 https://www.researchgate.net/publication/222820095_Effect_of_storage_on_the_content_of_polyphenols_vitamin_C_and_the_antioxidant_activity_of_orange_juices
232. Tietel Z., et al. Taste and aroma of fresh and stored mandarins. *J Sci Food Agric.* 2011; Jan 15;91(1):14-23 <https://pubmed.ncbi.nlm.nih.gov/20812381/>
233. Matsumoto, H., and Ikoma, Y. Effect of different postharvest temperatures on the accumulation of sugars, organic acids, and amino acids in the juice sacs of Satsuma mandarin (*Citrus unshiu* Marc.) fruit. *Journal of Agricultural and Food Chemistry*, 2012; 60(39), 9900–9909 <https://pubmed.ncbi.nlm.nih.gov/22950419/>
234. Cao J., et al. The effects of transportation temperature on the decay rate and quality of postharvest Ponkan (*Citrus reticulata* Blanco) fruit in different storage periods. *Scientia Horticulturae*, 2019; 247, 42–48 https://www.researchgate.net/publication/330074207_The_effects_of_transportation_temperature_on_the_decay_rate_and_quality_of_postharvest_Ponkan_Citrus_reticulata_Blanco_fruit_in_different_storage_periods
235. Obenland, D., et al. Mandarin flavor and aroma volatile composition are strongly influenced by holding temperature. *Postharvest Biology and Technology*, 2013; 82, 6–14 <https://ucanr.edu/datastoreFiles/234-2524.pdf>
236. Deng W., et al. Effect of temperature treatment on fruit quality and immunoregulation of Satsuma (*Citrus unshiu* Marc.) during storage. *Food Sci Nutr.* 2020; Aug 30;8(10):5443-5451 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7590330/>
237. Farag M.A., et al. Sweet and bitter oranges: An updated comparative review of their bioactives, nutrition, food quality, therapeutic merits and biowaste valorization practices. *Food Chemistry*.2020; 331 <https://pubmed.ncbi.nlm.nih.gov/32593794/>
238. Crizel T.D.M., et al. Dietary fiber from orange by products as a potential fat replacer. *LWT – Food Science and Technology*, 2013; 53(1), 9–14 https://www.academia.edu/10958972/Dietary_fiber_from_orange_byproducts_as_a_potential_fat_replacer
239. García, M.L., et al. Utilization of cereal and fruit fibres in low fat dry fermented sausages. *Meat Science*, 2002; 60(3), 227–236 <https://pubmed.ncbi.nlm.nih.gov/22063393/>
240. Spinelli, S., et al. Bioactive compounds from orange epicarp to enrich fish burgers. *Journal of the Science of Food and Agriculture*, 2018; 98(7), 2582–2586 <https://pubmed.ncbi.nlm.nih.gov/29064562/>
241. Ocen, D., and Xu, X. Effect of citrus orange (*Citrus sinensis*) by-product dietary fiber preparations on the quality characteristics of frozen dough bread. *American Journal of Food Technology*, 2013; 8(1), 43–53 <https://scialert.net/abstract/?doi=ajft.2013.43.53>
242. Liew S.S., et al. Phytochemical composition and in vitro antioxidant activities of *Citrus sinensis* peel extracts. *Peer J.* 2018;6:e5331 <https://pubmed.ncbi.nlm.nih.gov/30083463/>
243. Mamma D, and Christakopoulos P. Biotransformation of citrus by-products into value added products. *Waste and Biomass Valorization* 2014; 5(4):529–549 <https://link.springer.com/article/10.1007/s12649-013-9250-y>
244. Rafiq R, Kaul SA, Sofi N, et al.: Nayik Citrus peel as a source of functional ingredient: A review. *J Saudi Soc Agric Sci.* 2018; 17: 351–358.
245. Dharmawan J: Characterization of volatile compounds in selected citrus fruits from Asia. PhD Thesis, National University of Singapore. Singapore. 2009 https://www.researchgate.net/publication/254247339_Characterization_of_Volatile_Compounds_in_Selected_Citrus_Fruits_from_Asia-Part_II_Peel_Oil
246. Braddock RJ: Handbook of citrus by-products and processing technology. New York: Wiley; 1999 <https://www.wiley.com/en-au/Handbook+of+Citrus+By+Products+and+Processing+Technology-p-9780471190240>
247. Braddock RJ: By-products of citrus fruit. *Food Technol.* 1995; 49(9): 74–77 <https://agris.fao.org/agris-search/search.do?recordID=US9562286>
248. Rafiq R., et al. Nayik Citrus peel as a source of functional ingredient: A review. *J Saudi Soc Agric Sci.* 2018; 17: 351–358 <https://www.sciencedirect.com/science/article/pii/S1658077X16300960>
249. Morton JF: Mandarin orange. In: *Fruits of warm climates*. Miami; 1987 <https://hort.purdue.edu/newcrop/morton/index.html>
250. González-Molina, E., et al. Natural bioactive compounds of *Citrus limon* for food and health. *J. Pharm. Biomed. Anal.* 2010; 51, 327–345 <https://pubmed.ncbi.nlm.nih.gov/19748198/>

251. Kanmani, P. Extraction and analysis of pectin from *Citrus* peels: Augmenting the yield from *Citrus limon* using statistical experimental design. *Iran. J. energy Environ.* 2014; 5, 303–312
https://www.researchgate.net/publication/273144860_Extraction_and_Analysis_of_Pectin_from_Citrus_Peels_Augmenting_the_Yield_from_Citrus_limon_Using_Statistical_Experimental_Design
252. Pearson, D.R., et al. Lemon juice from Argentina and Mexico; U.S. International Trade Commission: Washington, DC, USA, 2006 https://www.usitc.gov/publications/701_731/pub4418.pdf
253. Hamdan, D., et al. Chemical composition of the essential oils of variegated pink-fleshed lemon (*Citrus x limon* L. Burm. f.) and their anti-inflammatory and antimicrobial activities. *J. Biosci.* 2013, 68C, 275–284
<https://pubmed.ncbi.nlm.nih.gov/24066512/>
254. Crupi, M.L. et al. , *Food Chem.* 2007; 105, 771–783
https://www.researchgate.net/publication/229118082_A_comprehensive_study_on_the_chemical_composition_and_aromatic_characteristics_of_lemon_liquor
255. Marín, F.R., et al. By-products from different citrus processes as a source of customized functional fibres. *Food Chem.* 2007;100, 736–741 <https://www.infona.pl/resource/bwmeta1.element.elsevier-a9515e51-0606-310b-b945-56620f6cac25>
256. F.R. Marín, M. Martínez, T. Uribealago, S. Castillo, M.J. Frutos, *Food Chem.* 78 (2002) 319–324.
257. A. Schieber, F.C. Stintzing, R. Carle, *Trends Food Sci. Technol.* 12 (2001) 401–413.
258. G. Laufenberg, B. Kunz, M. Nystroem, *Bioresour. Technol.* 87 (2003) 167–198.
259. G. Mandalari, R.N. Bennett, G. Bisignano, A. Saija, G. Dugo, R.B. Lo Curto, C.B. Faulds, K.W. Waldron, J. Agric. *Food Chem.* 54 (2006) 197–203.

Books

1. The Flavour thesaurus. Niki Segnit, 2010
2. The Cook's Companion. Stephanie Alexander. 2nd Ed, 2004

Intellectual property

No project IP or commercialisation to report.

Issues and risks

During the project fulfillment period, The new Australian Food Composition Data was released, including updated data for citrus produce. However, all project deliverables and reports were based on the agreed methodology of using the Hort innovation data. This is a very low risk and a risk management report has been attached as part of this milestone report

Other information

No additional information to report

Appendices

N/A