



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF BOTRYTIS GREY MOULD IN CHERRIES**

PERMIT NUMBER – PER88787

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 5 NOVEMBER 2019 TO 31 OCTOBER 2031

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 15, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

TELDOR 500 SC FUNGICIDE (APVMA No. 50670)

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L FENHEXAMID as the only active constituent.

Spray Drift Restraints:

Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone table/s below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between three and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

Buffer zones for vertical sprayers

Type of target canopy and dilute water rate	Mandatory downwind buffer zones for natural aquatic areas
2 metres tall and shorter, maximum dilute water rate of 1000 L/ha	Not required
Taller than 2 metres (not fully-foliated), maximum dilute water rate of 1500 L/ha	5 metres
Taller than 2 metres (fully-foliated), maximum dilute water rate of 1500 L/ha	Not required

Directions for Use:

Crop	Disease	Rate
CHERRIES	Botrytis grey mould (<i>Botrytis cinerea</i>)	100mL product / 100L

Critical Use Comments:

- Apply prior to disease onset when conditions favour disease as part of a preventive spray program.
- Apply as a foliar application using an airblast sprayer or similar equipment.
- Apply in sufficient water to provide thorough and uniform coverage of all plant foliage.
- DO NOT apply in a spray volume of less than 250L/ha.
- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 7 days after the previous treatment.

Withholding Period:

Harvest: Do not harvest for 1 day after application.

Grazing: Do not graze or cut for stock food for 14 days after application.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Precautions:

Wear a hat and a respirator when applying this product.

Re-Entry:

DO NOT re-enter treated areas until the spray has dried. If prior entry is required, a single layer of clothing (overalls buttoned to the neck and wrist or equivalent clothing) in addition to chemical resistant gloves must be worn.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Export of treated produce

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. A TMRL has been established for FENHEXAMID in CHERRIES. MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 30/11/2020 – Permit updated to add all state and territories and to change from emergency to minor use. Permit expiry extended to 30/11/2023. Permit issued as Version 2.

21/09/2023 – Permit expiry extended to 30/09/2026. Permit issued as Version 3.

02/10/2026 – Permit expiry extended to 31/10/2031. Permit issued as Version 4.