



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF LEAF MINERS IN CELERY**

PERMIT NUMBER – PER93850

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 12 DECEMBER 2023 TO 30 SEPTEMBER 2031

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 15, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

BENEVIA INSECTICIDE (APVMA No. 66684)

Containing: 100 g/L CYANTRANILIPROLE as the only active constituent.

RESTRAINT:

DO NOT apply if heavy dew is present on crops, if rainfall is expected within 2 hours of application, or if heavy rainfall likely to generate run-off is expected within 48 hours of application.

DO NOT treat plants grown for transplanting. Not for use in nurseries, plant propagation houses, or greenhouses by commercial transplant producers on plants being grown for transplanting.

DO NOT use on container or hydroponic grown crops.

Comply with the spray drift restraints on the label.

Directions for Use:

Crop	Pest	Rate
Celery	Leaf miners, including: Vegetable leaf miner (<i>Liriomyza sativae</i>) Pea leaf miner or Serpentine leaf miner (<i>Liriomyza huidobrensis</i>) American serpentine leaf miner (<i>Liriomyza trifolii</i>)	750 mL/ha

Critical Use Comments:

- Apply first spray when *Liriomyza* leaf miners first appear.
- Use a sufficient spray volume to ensure thorough coverage of the crop. Adjust volume to crop growth stage.
- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 7 days after the initial treatment.
- DO NOT use Activator* or BS1000* (or equivalents) as it may cause crop phytotoxicity.
- Refer to the product label for instructions on surfactant/wetting agent compatibility.
- Use in accordance with any relevant CropLife insecticide resistance management strategies. Refer to the product label for specific resistance management instructions.

Protections:

Toxic to bees. Will kill foraging bees directly exposed through contact during spraying and while spray droplets are wet. May harm bees in hives which are over sprayed or reached by spray drift. Beekeepers who are known to have hives in, or nearby, the area to be sprayed should be notified no less than 48 hours prior to the time of the planned application so that bees can be removed or otherwise protected prior to spraying.

Withholding Period:

Harvest: Do not harvest for 1 day after application.

Grazing: Do not graze or cut for stock food.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the registered product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Export of treated produce

Maximum Residue Limits (MRLs) or Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human and/or animal consumption. An MRL has been established for CYANTRANILIPROLE in CELERY and PRIMARY FEED COMMODITIES {EXCEPT LEGUME ANIMAL FEEDS}. MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 15/09/2026 - Permit expiry extended to 30/09/2031. Permit issued as Version 2.